

WHAT IS CLAIMED IS:

1. An information processing apparatus capable of communicating with a portable device by radio, comprising:

5 means for establishing a radio link to the portable device;

means for detecting a field strength in a state where the radio link has been established; and

10 means for setting the information processing apparatus in a power save state when the field strength detected by said detection means lowers to a predetermined value.

15 2. The apparatus according to claim 1, wherein said setting means returns said information processing apparatus from the power save state when the field strength detected by said detection means exceeds a predetermined value.

20 3. The apparatus according to claim 1, wherein the power save state has a plurality of stages with different power consumption amounts, and

said setting means determines a stage of the power save state to be set on the basis of the field strength detected by said detection means.

25 4. An information processing apparatus capable of communicating with a portable device by radio, comprising:

means for establishing a radio link to the

portable device;

means for detecting a field strength in a state where the radio link has been established; and

means for controlling a specified program on the basis of the field strength detected by said detection means.

5 5. The apparatus according to claim 4, wherein the specified program is a program for executing logoff processing of canceling a state of logon to said information processing apparatus from said portable device, and

10 said controlling means activates the program when the field strength detected by said detection means lowers to a predetermined value.

15 6. The apparatus according to claim 4, wherein the specified program is a user program for personal information management, and

20 said controlling means inhibits the user program when the field strength detected by said detection means lowers to a predetermined value.

7. An information processing apparatus capable of communicating with a portable device by radio, comprising:

25 means for executing logon processing to said information processing apparatus from said portable device on the basis of user authentication information transmitted from the portable device by radio;

means for detecting a field strength from the portable device; and

means for executing logoff processing of canceling a state of logon to said information processing apparatus from said portable device when the field strength detected by said detection means lowers to a predetermined value.

8. The apparatus according to claim 7, further comprising:

means for determining whether or not the portable device for which the radio link has been established leaves a radio communicable zone in accordance with the field strength detected by said detection means; and

means for setting said information processing apparatus in the power save state when the portable device for which the radio link has been established leaves the radio communicable zone.

9. The apparatus according to claim 8, further comprising means for returning said information processing apparatus from the power save state to an operating state when the portable device moves from an incommunicable zone to the radio communicable zone.

10. An operating state control method of controlling an operating state of an information processing apparatus capable of communicating with a portable device by radio, comprising the steps of:

detecting a field strength in a state where a

radio link to the portable device has been established;
and

5 setting the information processing apparatus in a
power save state when the field strength detected in
the detection step lowers to a predetermined value.

11. The method according to claim 10, further
comprising a step of returning the portable device from
the power save state when the field strength detected
in the detection step exceeds a predetermined value.

10 12. The method according to claim 10, further
comprising a step of

15 determining a stage of the power save state to be
set from a plurality of stages with different power
consumption amounts on the basis of the field strength
detected in the detection step.

13. An operating state control method of
controlling an operating state of an information
processing apparatus capable of communicating with a
portable device by radio, comprising the steps of:

20 detecting a field strength in a state where a
radio link to the portable device has been established;
and

 controlling a specified program on the basis of
the field strength detected in the detection step.

25 14. The method according to claim 13, wherein
the specified program is a program for executing
logoff processing of canceling a state of logon to said

information processing apparatus from said portable device, and

the controlling step comprises activating the program when the field strength detected in the detection step lowers to a predetermined value.

15. The method according to claim 13, wherein the specified program is a user program for personal information management, and

said controlling step comprises inhibiting the user program when the field strength detected in the detection step lowers to a predetermined value.

16. An operating state control method of controlling an operating state of an information processing apparatus capable of communicating with a portable device by radio, comprising the steps of:

executing logon processing to said information processing apparatus from said portable device on the basis of user authentication information transmitted from the portable device by radio;

detecting a field strength from the portable device; and

executing logoff processing of canceling a state of logon to said information processing apparatus from said portable device when the field strength detected in the detection step lowers to a predetermined value.

17. The method according to claim 16, further comprising the steps of:

determining whether or not the portable device for which the radio link has been established leaves a radio communicable zone in accordance with the field strength detected by said detection means; and

- 5 setting said information processing apparatus in the power save state when the portable device for which the radio link has been established leaves a radio communicable zone.

- 10 18. The method according to claim 17, further comprising a step of returning said information processing apparatus from the power save state to an operating state when the portable device moves from an incommunicable zone to the radio communicable zone.